


# AVLB BEAVER 70



# AVLB BEAVER 70


## AVLB BEAVER 70

Armoured Vehicle Launched Bridge (AVLB) BEAVER 70 with improved bridge (MLC 70)




# AVLB BEAVER 70

AVLB BEAVER 70  
AVLB BEAVER Hydraulics



Actual configuration



New FFG hydraulics for the AVLB BEAVER 70  
Adapted to the WISENT hydraulic system standard

# AVLB BEAVER 70

## AVLB BEAVER 70

Technical data AVLB BEAVER 70  
FFG New Hydraulics

Length	11820 mm (without bridge: 10590 mm)
Width	4000 mm (without bridge: 3250 mm)
Height	5600 mm (without bridge 2670 mm)
Cross vehicle weight	45,45 t (with bridge)
Tare weight	35,1 t (without bridge)
Maximum speed	62 km/h
Engine	MTU MB 838 CaM-500
Engine power	736kW / 3300Nm
Transmission	ZF 4HP 250
Range	450 km
Trench crossing	2,5 m
Climbing ability	60%
Lateral inclination	30%
Water crossing	1,2 m (with preparation 1,65 m)
Bridge length	22 m
Bridge width	4 m
Bridge height	max. 0,98 m
Bridge weight	9,94 t
Bridge Safe Load	MLC 70

Commercially available for the next 20 - 25 years

High durability  
Easy to maintain

Low procurement costs  
Short term delivery period

Ergonomic solution  
Minimised fuel consumption

Further growth potential

# AVLB BEAVER 70

**AVLB BEAVER 70**  
Integrated Logistic Support

**Life cycle support**

**Engineering experience**  
**Upgrade developments**

**Maintenance Concept**  
**Educated staff**

**Spare part supply**  
**Special Tools**  
**Documentation**  
**Training on the job**



**THORNTONE HELLAS TRADING LTD**

Leof. Kifisias 64,Marousi 15125  
Athens - Greece

Georgios Loukisas  
Phone: 0030210-9619555  
Mobile: 0030-6973743292  
E-mail: [gelouk@otenet.gr](mailto:gelouk@otenet.gr)